



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 09.06.2020

## 1 Identification of the substance/mixture and of the company/undertaking

- **Product identifier** CODE 3003
- **Trade name:** SWIN REAKTIONSVERDÜNNER ETCH PRIMER
- **Article number:** 30-301-\*
- **CAS Number:**  
71-36-3
- **EC number:**  
200-751-6
- **Index number:**  
603-004-00-6
- **Registration number** 01-2119484630-38-XXXX
- **Relevant identified uses of the substance or mixture and uses advised against**
- **Sector of Use**  
SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites  
SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen)
- **Product category** PC9a Coatings and paints, thinners, paint removers
- **Process category**  
PROC7 Industrial spraying  
PROC11 Non industrial spraying
- **Environmental release category** ERC8c Widespread use leading to inclusion into/onto article (indoor)
- **Application of the substance / the mixture** Coating material
- **Details of the supplier of the safety data sheet**
- **Manufacturer/Supplier:**  
SWIN Lacksysteme  
Boschweg 5  
D-48351 Everswinkel  
info@swinsysteme.de
- **Further information obtainable from:** +49 2582-67613 / +49 2582-67677
- **Emergency telephone number:** Giftnotruf Berlin: ++49 (0) 30 19240

## 2 Hazards identification

- **Classification of the substance or mixture**
- **Classification according to Regulation (EC) No 1272/2008**



GHS02 flame

Flam. Liq. 3 H226 Flammable liquid and vapour.



GHS05 corrosion

Met. Corr.1 H290 May be corrosive to metals.

Eye Dam. 1 H318 Causes serious eye damage.



GHS07

Acute Tox. 4 H302 Harmful if swallowed.

Skin Irrit. 2 H315 Causes skin irritation.

STOT SE 3 H335-H336 May cause respiratory irritation. May cause drowsiness or dizziness.

- **Label elements**
- **Labelling according to Regulation (EC) No 1272/2008**  
The substance is classified and labelled according to the CLP regulation.

(Contd. on page 2)



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 09.06.2020

Trade name: SWIN REAKTIONSVERDÜNNER ETCH PRIMER

(Contd. of page 1)

## · Hazard pictograms



GHS02 GHS05 GHS07

· Signal word *Danger*

## · Hazard-determining components of labelling:

*butan-1-ol*

## · Hazard statements

H226 *Flammable liquid and vapour.*H290 *May be corrosive to metals.*H302 *Harmful if swallowed.*H315 *Causes skin irritation.*H318 *Causes serious eye damage.*H335-H336 *May cause respiratory irritation. May cause drowsiness or dizziness.*

## · Precautionary statements

P210 *Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.*P271 *Use only outdoors or in a well-ventilated area.*P305+P351+P338 *IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.*P310 *Immediately call a POISON CENTER/doctor.*P321 *Specific treatment (see on this label).*P330 *Rinse mouth.*P362+P364 *Take off contaminated clothing and wash it before reuse.*P501 *Dispose of contents/container in accordance with local/regional/national/international regulations.*

## · Other hazards -

## · Results of PBT and vPvB assessment

· **PBT:** Not applicable.· **vPvB:** Not applicable.

### 3 Composition/information on ingredients

## · Chemical characterisation: Substances

## · CAS No. Description

71-36-3 *butan-1-ol*

## · Identification number(s)

· EC number: 200-751-6

· Index number: 603-004-00-6

· Dangerous components: *Void*

### 4 First aid measures

## · Description of first aid measures

· **General information:** Personal protection for the First Aider.· **After inhalation:***Supply fresh air.**Seek medical treatment in case of complaints.*· **After skin contact:***Immediately wash with water and soap and rinse thoroughly.**If skin irritation continues, consult a doctor.*· **After eye contact:***Rinse opened eye for several minutes under running water.*

(Contd. on page 3)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 09.06.2020

**Trade name: SWIN REAKTIONSVERDÜNNER ETCH PRIMER**

(Contd. of page 2)

- *Seek medical treatment.*
- **After swallowing:** *Do not induce vomiting; call for medical help immediately.*
- **Information for doctor:**
- **Most important symptoms and effects, both acute and delayed** *No further relevant information available.*
- **Indication of any immediate medical attention and special treatment needed**  
*No further relevant information available.*

### 5 Firefighting measures

- **Extinguishing media**
- **Suitable extinguishing agents:**  
*CO<sub>2</sub>, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.*
- **For safety reasons unsuitable extinguishing agents:** *Water with full jet*
- **Special hazards arising from the substance or mixture** *No further relevant information available.*
- **Advice for firefighters**
- **Protective equipment:** *Mouth respiratory protective device.*

### 6 Accidental release measures

- **Personal precautions, protective equipment and emergency procedures**  
*Wear protective equipment. Keep unprotected persons away.*  
*Ensure adequate ventilation*
- **Environmental precautions:** *Do not allow to enter sewers/ surface or ground water.*
- **Methods and material for containment and cleaning up:**  
*Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).*  
*Dispose contaminated material as waste according to item 13.*
- **Reference to other sections**  
*See Section 7 for information on safe handling.*  
*See Section 8 for information on personal protection equipment.*

### 7 Handling and storage

- **Handling:**
- **Precautions for safe handling**  
*Ensure good ventilation/exhaustion at the workplace.*  
*Restrict the quantity stored at the work place.*
- **Information about fire - and explosion protection:**  
*Fumes can combine with air to form an explosive mixture.*  
*Flammable gas-air mixtures may form in empty receptacles.*  
*Keep ignition sources away - Do not smoke.*  
*Use explosion-proof apparatus / fittings and spark-proof tools.*  
*Protect against electrostatic charges.*
- **Conditions for safe storage, including any incompatibilities**
- **Storage:**
- **Requirements to be met by storerooms and receptacles:**  
*Unsuitable material for receptacle: steel.*  
*Provide solvent resistant, sealed floor.*
- **Information about storage in one common storage facility:**  
*Do not store together with alkalis (caustic solutions).*
- **Further information about storage conditions:** *Keep container tightly sealed.*
- **Specific end use(s)** *No further relevant information available.*

GB

(Contd. on page 4)



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 09.06.2020

**Trade name: SWIN REAKTIONSV ERDÜNNER ETCH PRIMER**

(Contd. of page 3)

## 8 Exposure controls/personal protection

- **Additional information about design of technical facilities:** No further data; see item 7.
- **Control parameters**

· **Ingredients with limit values that require monitoring at the workplace:**

**71-36-3 butan-1-ol**

WEL	Short-term value: 154 mg/m <sup>3</sup> , 50 ppm
Sk	

- **Additional information:** The lists valid during the making were used as basis.

- **Exposure controls**

- **Personal protective equipment:**

- **General protective and hygienic measures:**

Keep away from foodstuffs, beverages and feed.  
 Immediately remove all soiled and contaminated clothing  
 Wash hands before breaks and at the end of work.  
 Do not inhale gases / fumes / aerosols.  
 Avoid contact with the eyes and skin.

- **Respiratory protection:**

Use suitable respiratory protective device in case of insufficient ventilation.  
 In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.  
 Filter A2/P2

- **Protection of hands:**

Only use chemical-protective gloves with CE-labelling of category III.



Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

- **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be exactly calculated in advance and has therefore to be checked prior to the application.

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber (Ansell Sol-Vex®)

Recommended thickness of the material:  $\geq 0.4$  mm

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer.

- **Penetration time of glove material**

Value for the permeation: Level  $\leq 1$

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- **For the permanent contact => 480 minutes gloves made of the following materials are suitable:**

HPPE-laminatet film (Ansell Barrier®)

- **Eye protection:**



Tightly sealed goggles

- **Body protection:**

Protective clothing, anti-static (TYVEK® CLASSIC PLUS)

(Contd. on page 5)



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 09.06.2020

Trade name: **SWIN REAKTIONSV ERDÜNNER ETCH PRIMER**

Safety shoes/boots, antstatic

(Contd. of page 4)

## 9 Physical and chemical properties

- **Information on basic physical and chemical properties**

- **General Information**

- **Appearance:**

<b>Form:</b>	Fluid
<b>Colour:</b>	Colourless
<b>Odour:</b>	Alcohol-like
<b>Odour threshold:</b>	Not determined.

- **pH-value** Not applicable.

- **Change in condition**

<b>Melting point/freezing point:</b>	-89 °C
<b>Initial boiling point and boiling range:</b>	116-118 °C

- **Flash point:** 35 °C

- **Flammability (solid, gas):** Not applicable.

- **Ignition temperature:** 340 °C

- **Decomposition temperature:** Not determined.

- **Auto-ignition temperature:** Not determined.

- **Explosive properties:** Product is not explosive. However, formation of explosive air/vapour mixtures are possible.

- **Explosion limits:**

<b>Lower:</b>	1.5 Vol %
<b>Upper:</b>	9.4 Vol %

<b>Vapour pressure at 20 °C:</b>	6.7 hPa
<b>Relative density</b>	Not determined.
<b>Vapour density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

- **Solubility in / Miscibility with water at 20 °C:** 77 g/l

- **Partition coefficient: n-octanol/water:** Not determined.

- **Viscosity:**

<b>Dynamic at 20 °C:</b>	2.95 mPas
<b>Kinematic at 20 °C:</b>	24 s (ISO 3 mm)

- **Other information** No further relevant information available.

## 10 Stability and reactivity

- **Reactivity** No further relevant information available.
- **Chemical stability**
- **Thermal decomposition / conditions to be avoided:** No decomposition if used according to specifications.
- **Possibility of hazardous reactions** No dangerous reactions known.
- **Conditions to avoid** No further relevant information available.
- **Incompatible materials:** No further relevant information available.
- **Hazardous decomposition products:** No dangerous decomposition products known.

GB

(Contd. on page 6)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 09.06.2020

Trade name: SWIN REAKTIONSV ERDÜNNER ETCH PRIMER

(Contd. of page 5)

### 11 Toxicological information

- **Information on toxicological effects**

- **Acute toxicity**

Harmful if swallowed.

- **LD/LC50 values relevant for classification:**

**71-36-3 butan-1-ol**

Oral	LD50	790 mg/kg (rat)
Dermal	LD50	3,400 mg/kg (rabbit)
Inhalative	LC50/4 h	8,000 mg/l (rat)

- **Primary irritant effect:**

- **Skin corrosion/irritation**

Causes skin irritation.

- **Serious eye damage/irritation**

Causes serious eye damage.

- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.

- **CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)**

- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.

- **Carcinogenicity** Based on available data, the classification criteria are not met.

- **Reproductive toxicity** Based on available data, the classification criteria are not met.

- **STOT-single exposure**

May cause respiratory irritation. May cause drowsiness or dizziness.

- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

- **Aspiration hazard** Based on available data, the classification criteria are not met.

### 12 Ecological information

- **Toxicity**

- **Aquatic toxicity:** No further relevant information available.

- **Persistence and degradability** No further relevant information available.

- **Behaviour in environmental systems:**

- **Bioaccumulative potential** No further relevant information available.

- **Mobility in soil** No further relevant information available.

- **Additional ecological information:**

- **General notes:**

Water hazard class 2 (German Regulation) (Assessment by list): hazardous for water

Do not allow product to reach ground water, water course or sewage system.

- **Results of PBT and vPvB assessment**

- **PBT:** Not applicable.

- **vPvB:** Not applicable.

- **Other adverse effects** No further relevant information available.

### 13 Disposal considerations

- **Waste treatment methods**

- **Recommendation**

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

- **European waste catalogue**

08 00 00	WASTES FROM THE MANUFACTURE, FORMULATION, SUPPLY AND USE (MFSU) OF COATINGS (PAINTS, VARNISHES AND VITREOUS ENAMELS), ADHESIVES, SEALANTS AND PRINTING INKS
----------	---

08 01 00	wastes from MFSU and removal of paint and varnish
----------	---

08 01 11*	waste paint and varnish containing organic solvents or other hazardous substances
-----------	---

(Contd. on page 7)



# Safety data sheet

according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1


Revision: 09.06.2020

**Trade name: SWIN REAKTIONSVERDÜNNER ETCH PRIMER**

(Contd. of page 6)

- **Uncleaned packaging:**  
15 00 00: WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED  
15 01 00: packaging (including separately collected municipal packaging waste)  
15 01 10\*: packaging containing residues of or contaminated by dangerous substances
- **Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

<ul style="list-style-type: none"> <li>· <b>UN-Number</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>	<p style="text-align: right;">UN1263</p>
<ul style="list-style-type: none"> <li>· <b>UN proper shipping name</b></li> <li>· <b>ADR</b></li> <li>· <b>IMDG, IATA</b></li> </ul>	<p style="text-align: right;">1263 PAINT RELATED MATERIAL PAINT RELATED MATERIAL</p>
<ul style="list-style-type: none"> <li>· <b>Transport hazard class(es)</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>	<div style="text-align: center;">  </div>
<ul style="list-style-type: none"> <li>· <b>Class</b></li> <li>· <b>Label</b></li> </ul>	<p style="text-align: right;">3 Flammable liquids. 3</p>
<ul style="list-style-type: none"> <li>· <b>Packing group</b></li> <li>· <b>ADR, IMDG, IATA</b></li> </ul>	<p style="text-align: right;">III</p>
<ul style="list-style-type: none"> <li>· <b>Environmental hazards:</b></li> <li>· <b>Marine pollutant:</b></li> </ul>	<p style="text-align: right;">No</p>
<ul style="list-style-type: none"> <li>· <b>Special precautions for user</b></li> <li>· <b>Hazard identification number (Kemler code):</b></li> <li>· <b>EMS Number:</b></li> <li>· <b>Stowage Category</b></li> </ul>	<p style="text-align: right;">Warning: Flammable liquids. 30 F-E,<u>S-E</u> A</p>
<ul style="list-style-type: none"> <li>· <b>Transport in bulk according to Annex II of Marpol and the IBC Code</b></li> </ul>	<p style="text-align: right;">Not applicable.</p>
<ul style="list-style-type: none"> <li>· <b>Transport/Additional information:</b></li> </ul>	
<ul style="list-style-type: none"> <li>· <b>ADR</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	<p style="text-align: right;">5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p>
<ul style="list-style-type: none"> <li>· <b>Transport category</b></li> <li>· <b>Tunnel restriction code</b></li> </ul>	<p style="text-align: right;">3 D/E</p>
<ul style="list-style-type: none"> <li>· <b>IMDG</b></li> <li>· <b>Limited quantities (LQ)</b></li> <li>· <b>Excepted quantities (EQ)</b></li> </ul>	<p style="text-align: right;">5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml</p>
<ul style="list-style-type: none"> <li>· <b>UN "Model Regulation":</b></li> </ul>	<p style="text-align: right;">UN 1263 PAINT RELATED MATERIAL, 3, III</p>

GB

(Contd. on page 8)



# Safety data sheet

## according to 1907/2006/EC, Article 31

Printing date 09.06.2020

Version number 1

Revision: 09.06.2020

**Trade name: SWIN REAKTIONSV ERDÜNNER ETCH PRIMER**

(Contd. of page 7)

### 15 Regulatory information

- *Safety, health and environmental regulations/legislation specific for the substance or mixture*
- *Directive 2012/18/EU*
- *Named dangerous substances - ANNEX I Substance is not listed.*
- *Seveso category P5c FLAMMABLE LIQUIDS*
- *Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t*
- *Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t*
- *REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3*
- *Chemical safety assessment: A Chemical Safety Assessment has not been carried out.*

### 16 Other information

*This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.*

- **Department issuing SDS:** -
- **Contact:** -
- **Abbreviations and acronyms:**
  - ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)*
  - IMDG: International Maritime Code for Dangerous Goods*
  - IATA: International Air Transport Association*
  - GHS: Globally Harmonised System of Classification and Labelling of Chemicals*
  - EINECS: European Inventory of Existing Commercial Chemical Substances*
  - ELINCS: European List of Notified Chemical Substances*
  - CAS: Chemical Abstracts Service (division of the American Chemical Society)*
  - LC50: Lethal concentration, 50 percent*
  - LD50: Lethal dose, 50 percent*
  - PBT: Persistent, Bioaccumulative and Toxic*
  - vPvB: very Persistent and very Bioaccumulative*
  - Flam. Liq. 3: Flammable liquids – Category 3*
  - Met. Corr.1: Corrosive to metals – Category 1*
  - Acute Tox. 4: Acute toxicity - oral – Category 4*
  - Skin Irrit. 2: Skin corrosion/irritation – Category 2*
  - Eye Dam. 1: Serious eye damage/eye irritation – Category 1*
  - STOT SE 3: Specific target organ toxicity (single exposure) – Category 3*

GB