

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** SWIN 70-102-6  
plastic cleaner  
**Revision date :** 20.11.2019  
**Print date :** 04.03.2020

**Version (Revision) :** 2.0.0 (1.3.0)

### SECTION 1: Identification of the substance/mixture and of the company/ undertaking

#### 1.1 Product identifier

SWIN 70-102-6  
plastic cleaner (34611)  
PROPAN-2-OL ; CAS No. : 67-63-0 ; EC No. : 200-661-7 ; INDEX No. : 603-117-00-0 ; REACH registration No. : 01-2119457558-25

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

##### Relevant identified uses

Washing and cleaning products (including solvent based products)

#### 1.3 Details of the supplier of the safety data sheet

##### Supplier (manufacturer/importer/only representative/downstream user/distributor)

SWIN Lacksysteme  
Inh. Ludwig Schöne e.K

**Street :** Boschweg 5

**Postal code/city :** D-48351 Everswinkel

**Telephone :** +49(0)2582/67613

**Telefax :** +49(0)258267677

**Information contact :** info@swinsysteme.de

#### 1.4 Emergency telephone number

Tel: +49 (0) 30 / 19 24 0 Giftnotrufzentrale Berlin

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

##### Classification according to Regulation (EC) No 1272/2008 [CLP]

Eye Irrit. 2 ; H319 - Serious eye damage/eye irritation : Category 2 ; Causes serious eye irritation.  
Flam. Liq. 2 ; H225 - Flammable liquids : Category 2 ; Highly flammable liquid and vapour.  
STOT SE 3 ; H336 - STOT-single exposure : Category 3 ; May cause drowsiness or dizziness.

#### 2.2 Label elements

##### Labelling according to Regulation (EC) No. 1272/2008 [CLP]

###### Hazard pictograms



Flame (GHS02) · Exclamation mark (GHS07)

###### Signal word

Danger

###### Hazard statements

H225 Highly flammable liquid and vapour.  
H319 Causes serious eye irritation.  
H336 May cause drowsiness or dizziness.

###### Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** SWIN 70-102-6  
plastic cleaner  
**Revision date :** 20.11.2019  
**Print date :** 04.03.2020

**Version (Revision) :** 2.0.0 (1.3.0)

P280 Wear protective gloves/protective clothing/eye protection/face protection.  
P370+P378 In case of fire: Use foam to extinguish.  
P403+P233 Store in a well-ventilated place. Keep container tightly closed.  
P501 Dispose of contents/container to disposal.

### Additional information

P240 - Ground and bond container and receiving equipment. P241 - Use explosion-proof electrical/ventilating/lighting equipment. P242 - Use non-sparking tools. P243 - Take action to prevent static discharges. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

### 2.3 Other hazards

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

## SECTION 3: Composition/information on ingredients

### 3.1 Substances

**Substance name :** PROPAN-2-OL  
**INDEX No. :** 603-117-00-0  
**EC No. :** 200-661-7  
**REACH No. :** 01-2119457558-25  
**CAS No. :** 67-63-0  
**Purity :** 100 % [mass]

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

#### General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove affected person from the danger area and lay down. Observe risk of aspiration if vomiting occurs. If unconscious place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

#### Following inhalation

Inhalation of vapours or spray/mists  
Consult a doctor immediately in the case of inhaling spray mist and show him packing or label. Provide fresh air.

#### In case of skin contact

After contact with skin, wash immediately with plenty of water and soap.

#### After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

#### After ingestion

Do NOT induce vomiting. Call a physician immediately.

### 4.2 Most important symptoms and effects, both acute and delayed

Dizziness Headache Nausea Impairment of vision Vomiting

### 4.3 Indication of any immediate medical attention and special treatment needed

None

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

Suitable extinguishing media

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : SWIN 70-102-6  
plastic cleaner  
Revision date : 20.11.2019  
Print date : 04.03.2020

Version (Revision) : 2.0.0 (1.3.0)

alcohol resistant foam Extinguishing powder Carbon dioxide (CO<sub>2</sub>) Water spray

### Unsuitable extinguishing media

Full water jet

### 5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic Carbon monoxide Carbon dioxide (CO<sub>2</sub>)

### 5.3 Advice for firefighters

Do not inhale explosion and combustion gases.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

### 5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

## SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

#### For non-emergency personnel

Use personal protection equipment. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

#### For emergency responders

Use appropriate respiratory protection. Remove persons to safety. Prevent spread over a wide area (e.g. by containment or oil barriers).

### 6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

### 6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Clear contaminated areas thoroughly.

### 6.4 Reference to other sections

Safe handling: see section 7

Disposal: see section 13

Personal protection equipment: see section 8

## SECTION 7: Handling and storage



### 7.1 Precautions for safe handling

Use explosion-proof machinery, apparatus, ventilation facilities, tools etc. If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. Only use the material in places where open light, fire and other flammable sources can be kept away. Wear personal protection equipment (refer to section 8). Avoid: generation/formation of aerosols

It is recommended to design all work processes always so that the following is excluded: Inhalation Skin contact Eye contact

#### Protective measures

All work processes must always be designed so that the following is excluded: Inhalation of vapours or spray/mists  
Skin contact Eye contact Take precautionary measures against static discharges.

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** SWIN 70-102-6  
plastic cleaner  
**Revision date :** 20.11.2019  
**Print date :** 04.03.2020

**Version (Revision) :** 2.0.0 (1.3.0)

### Measures to prevent fire

Keep away from sources of ignition - No smoking. Usual measures for fire prevention. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Provide earthing of containers, equipment, pumps and ventilation facilities. Use only antistatically equipped (spark-free) tools. Wear anti-static footwear and clothing. Take precautionary measures against static discharges.

### Measures to prevent aerosol and dust generation

Vapours/aerosols must be exhausted directly at the point of origin. Use only in well-ventilated areas.

### Environmental precautions

Shafts and sewers must be protected from entry of the product.

## 7.2 Conditions for safe storage, including any incompatibilities

### Hints on joint storage

**Storage class (TRGS 510) :** 3

### Further information on storage conditions

Keep container tightly closed. Keep/Store only in original container.

## 7.3 Specific end use(s)

Observe technical data sheet.

## SECTION 8: Exposure controls/personal protection

### 8.1 Control parameters

#### Occupational exposure limit values

PROPAN-2-OL ; CAS No. : 67-63-0

Limit value type (country of origin) : TRGS 900 ( D )  
Limit value : 200 ppm / 500 mg/m<sup>3</sup>  
Peak limitation : 2(II)  
Remark : Y  
Version : 07.06.2018

#### Biological limit values

PROPAN-2-OL ; CAS No. : 67-63-0

Limit value type (country of origin) : TRGS 903 ( D )  
Parameter : Acetone / Whole blood (B) / End of exposure or end of shift  
Limit value : 25 mg/l  
Version : 07.06.2018  
Limit value type (country of origin) : TRGS 903 ( D )  
Parameter : Acetone / Urine (U) / End of exposure or end of shift  
Limit value : 25 mg/l  
Version : 07.06.2018

#### DNEL/DMEL and PNEC values

##### DNEL/DMEL

Limit value type : DNEL worker (systemic)  
Exposure route : Dermal  
Limit value : 888 mg/kg  
Limit value type : DNEL worker (systemic)  
Exposure route : Inhalation  
Limit value : 500 mg/m<sup>3</sup>

##### PNEC

Limit value type : PNEC (Aquatic, freshwater)  
Limit value : 140,9 mg/l  
Limit value type : PNEC (Aquatic, marine water)  
Limit value : 140,9 mg/l  
Limit value type : PNEC (Sediment, freshwater)

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** SWIN 70-102-6  
plastic cleaner  
**Revision date :** 20.11.2019  
**Print date :** 04.03.2020

**Version (Revision) :** 2.0.0 (1.3.0)

Limit value : 552 mg/kg  
Limit value type : PNEC (Sediment, marine water)  
Limit value : 552 mg/kg  
Limit value type : PNEC (Soil)  
Limit value : 28 mg/kg  
Limit value type : PNEC (Sewage treatment plant)  
Limit value : 2251 mg/l

### 8.2 Exposure controls



#### Personal protection equipment

##### Eye/face protection

Eye glasses with side protection

##### Skin protection

###### Hand protection

**Suitable material :** Butyl caoutchouc (butyl rubber)  
Thickness of the glove material : 0.7 mm  
Breakthrough time (maximum wearing time) : 480 min  
Recommended glove articles EN ISO 374

**Remark :** Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

###### Body protection

Overall

**Suitable protective clothing :** For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes). Chemical resistant safety shoes Only wear fitting, comfortable and clean protective clothing.

**Required properties :** antistatic. flame-resistant heat-resistant

##### Respiratory protection

Appropriate engineering controls

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: exceeding exposure limit values aerosol or mist formation. spray application

###### Suitable respiratory protection apparatus

Filtering device (full mask or mouthpiece) with filter: Type : A

##### General health and safety measures

Wash hands before breaks and after work. Apply skin care products after work.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**Physical state :** Liquid

**Odour :** characteristic

#### Appearance

**Colour :** colourless

#### Odour threshold

No data available

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : SWIN 70-102-6  
plastic cleaner  
Revision date : 20.11.2019  
Print date : 04.03.2020

Version (Revision) : 2.0.0 (1.3.0)

### Safety relevant basis data

Melting point/melting range :	-89 °C	
Initial boiling point and boiling range :	( 1013 hPa ) 82 °C	
Decomposition temperature :	No data available	
Flash point :	12 °C	DIN 51755 part 1
Ignition temperature :	425 °C	DIN 51794
Lower explosion limit :	2 Vol-%	
Upper explosion limit :	12 Vol-%	
Vapour pressure :	( 20 °C ) 48 hPa	
Density :	( 20 °C ) 0,785 g/cm <sup>3</sup>	DIN 51757
Water solubility :	( 20 °C ) miscible	
pH-value:	( 20 °C ) not applicable	
log P O/W :	No data available	
Viscosity :	( 20 °C ) 2,43 mPa.s	
Relative vapour density :	( 20 °C ) No data available	
Vapourisation rate :	No data available	
Maximum VOC content (EC) :	100 Wt %	1999/13/EC
VOC-value :	785 g/l	2004/42/EC
Flammable solids :	Not fulfilling criteria for hazard class "Flammable Solids".	
Flammable gases :	Not applicable.	
Oxidising liquids :	GHS/CLP criteria are not met.	
Explosive properties :	GHS/CLP criteria are not met.	

### 9.2 Other information

None

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Information is given in subsection 10.3.

### 10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

### 10.3 Possibility of hazardous reactions

In use, may form flammable/explosive vapour-air mixture.

### 10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.

### 10.5 Incompatible materials

Exothermic reaction with:  
Acid , Oxidising agent, strong.

### 10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Acute effects

Based on available data, the classification criteria are not met.

#### Acute oral toxicity

Parameter :	LD50
Exposure route :	Oral
Species :	Rat
Effective dose :	5840 mg/kg
Method :	OECD 401

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** SWIN 70-102-6  
plastic cleaner  
**Revision date :** 20.11.2019  
**Print date :** 04.03.2020

**Version (Revision) :** 2.0.0 (1.3.0)

### Acute dermal toxicity

Parameter : LD50  
Exposure route : Dermal  
Species : Rabbit  
Effective dose : > 13900 mg/kg  
Method : OECD 402

### Acute inhalation toxicity

Parameter : LC50  
Exposure route : Inhalation (vapour)  
Species : Rat  
Effective dose : > 25 mg/l  
Exposure time : 6 h  
Method : OECD 403

### Irritant and corrosive effects

#### Primary irritation to the skin

Based on available data, the classification criteria are not met.

#### Irritation to eyes

Causes serious eye irritation.

### Sensitisation

Based on available data, the classification criteria are not met.

### CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

#### Carcinogenicity

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Based on available data, the classification criteria are not met.

#### Reproductive toxicity

Based on available data, the classification criteria are not met.

### STOT-single exposure

May cause drowsiness or dizziness.

### STOT-repeated exposure

Based on available data, the classification criteria are not met.

### Aspiration hazard

Based on available data, the classification criteria are not met.

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Aquatic toxicity

Based on available data, the classification criteria are not met.

##### Acute (short-term) fish toxicity

Parameter : LC50  
Species : Pimephales promelas (fathead minnow)  
Evaluation parameter : Acute (short-term) fish toxicity  
Effective dose : 9640 mg/l  
Exposure time : 96 h  
Method : OECD 203

Parameter : LC50  
Species : Daphnia magna (Big water flea)  
Evaluation parameter : Acute (short-term) daphnia toxicity  
Effective dose : 9714 mg/l  
Exposure time : 24 h  
Method : OECD 202

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** SWIN 70-102-6  
plastic cleaner  
**Revision date :** 20.11.2019  
**Print date :** 04.03.2020

**Version (Revision) :** 2.0.0 (1.3.0)

### Acute (short-term) algae toxicity

**Parameter :** EC50  
**Species :** Scenedesmus subspicatus  
**Evaluation parameter :** Acute (short-term) algae toxicity  
**Effective dose :** > 100 mg/l  
**Exposure time :** 72 h

## 12.2 Persistence and degradability

### Biodegradation

**Parameter :** DOC reduction  
**Inoculum :** Degree of elimination  
**Evaluation parameter :** Aerobic  
**Effective dose :** 53 %  
**Exposure time :** 5 Day(s)

## 12.3 Bioaccumulative potential

No information available.

## 12.4 Mobility in soil

No information available.

## 12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

## 12.6 Other adverse effects

No information available.

## 12.7 Additional ecotoxicological information

None

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Dispose according to legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of.

## SECTION 14: Transport information

### 14.1 UN number

UN 1219

### 14.2 UN proper shipping name

#### Land transport (ADR/RID)

ISOPROPANOL

#### Sea transport (IMDG)

ISOPROPANOL

#### Air transport (ICAO-TI / IATA-DGR)

ISOPROPANOL

### 14.3 Transport hazard class(es)

#### Land transport (ADR/RID)

**Class(es) :** 3  
**Classification code :** F1  
**Hazard identification number (Kemler No.) :** 33  
**Tunnel restriction code :** D/E  
**Special provisions :** LQ 1 | E 2  
**Hazard label(s) :** 3



# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : SWIN 70-102-6  
plastic cleaner  
Revision date : 20.11.2019  
Print date : 04.03.2020

Version (Revision) : 2.0.0 (1.3.0)

### Sea transport (IMDG)

Class(es) : 3  
EmS-No. : F-E / S-D  
Special provisions : LQ 11 · E 2  
Hazard label(s) : 3

### Air transport (ICAO-TI / IATA-DGR)

Class(es) : 3  
Special provisions : E 2  
Hazard label(s) : 3

### 14.4 Packing group

II

### 14.5 Environmental hazards

Land transport (ADR/RID) : No  
Sea transport (IMDG) : No  
Air transport (ICAO-TI / IATA-DGR) : No

### 14.6 Special precautions for user

None

### 14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### EU legislation

##### Authorisations and/or restrictions on use

##### Restrictions on use according to Regulation (EC) No. 1907/2006 (REACH)

Use restriction according to REACH annex XVII, no. : 3, 40

#### National regulations

##### Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

##### Technische Anleitung Luft (TA-Luft)

No allocation to the classes I, II and III.

##### Water hazard class (WGK)

Class : 1 (Slightly hazardous to water) Classification according to AwSV

### 15.2 Chemical safety assessment

For this substance / mixture a chemical safety assessment has not been carried out.

## SECTION 16: Other information

### 16.1 Indication of changes

14. Transport hazard class(es) - Land transport (ADR/RID) · 14. Transport hazard class(es) - Sea transport (IMDG) · 14. Transport hazard class(es) - Air transport (ICAO-TI / IATA-DGR)

### 16.2 Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route  
AGW = Occupational Exposure Limits  
ATE = Acute Toxicity Estimates  
AwSV = Ordinance on facilities for the handling of substances hazardous to water  
DMEL = Derived Minimal Effect Levels  
DNEL = Derived No Effect Level

# Safety Data Sheet

## according to Regulation (EC) No. 1907/2006 (REACH)

**Trade name :** SWIN 70-102-6  
plastic cleaner

**Revision date :** 20.11.2019

**Print date :** 04.03.2020

**Version (Revision) :** 2.0.0 (1.3.0)

ECx = effective concentration  
H (8.1) = hautresorptiv (= absorbable through skin contact)  
IATA = International Air Transport Association  
ICAO = International Civil Aviation Organization  
IMDG = International Maritime Code for Dangerous Goods  
LCx/LDx/LLx = Lethal Concentration/Dose/Loading for x % of a population of test organisms  
MARPOL = International Convention for the Prevention of Marine Pollution from Ships  
NOAEC/NOAEL = No Observed Adverse Effect Concentration/Level  
NOEC/NOEL = No Observed Effect Concentration/Level  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, bioaccumulative and toxic  
PNEC = Predicted No Effect Concentration  
RID = Règlement concernant le transport international ferroviaire des marchandises dangereuses  
RCP = reciprocal calculation procedure  
S(a/h/ah) (8.1) = risk of sensitisation (of the respiratory tract/of the skin/of the respiratory tract and the skin)  
SVHC = Substances of Very high Concern  
STEL = Short-Time-Exposure Limit  
TRGS = Technical rules for hazardous substances  
TWA = Time Weighted Average  
VOC = volatile organic compounds  
vPvB = very persistent and very bioaccumulative  
VwVwS = Administrative regulation of substances hazardous to water  
WGK = water hazard class acc. ordinance on facilities for handling substances that are hazardous to water (AwSV)  
Y (8.1) = No risk of fetal damage will have to be feared, if the occupational exposure limit values (AGW) and the biological limit values (BGW) are observed.  
Z (8.1) = The risk of fetal damage must be feared, even if the occupational exposure limit values (AGW) and the biological limit values (BGW) are observed.

### 16.3 Key literature references and sources for data

None

### 16.4 Classification for mixtures and used evaluation method according to regulation (EC) No 1272/2008 [CLP]

The classification for health hazards, physicochemical hazards and environmental hazards were derived from a combination of calculation methods and, if available, test data.

### 16.5 Relevant H- and EUH-phrases (Number and full text)

None

### 16.6 Training advice

None

### 16.7 Additional information

None

---

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

---