according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : SWIN 70-102-6 plastic cleaner

Revision date: 07.09.2020 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 19.11.2021

SECTION 1: Identification of the substance/mixture and of the company/ undertaking

1.1 Product identifier

SWIN 70-102-6

plastic cleaner (34611)

PROPAN-2-OL; CAS No.: 67-63-0; EC No.: 200-661-7; INDEX No.: 603-117-00-0; REACH No.: 01-2119457558-25

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Washing and cleaning products

1.3 Details of the supplier of the safety data sheet

Supplier (manufacturer/importer/only representative/downstream user/distributor)

SWIN Lacksysteme Inh. Ludwig Schöne e.K **Street:** Boschweg 5

Postal code/city: 48351 Everswinkel

Telephone: +49(0)2582/67613 **Telefax:** +49(0)258267677

Information contact: info@swinsysteme.de

1.4 Emergency telephone number

Giftinformationszentrum Göttingen (GIZ-Nord) Phone: +49 (0)551-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 [CLP]

Flam. Liq. 2; H225 - Flammable liquids: Category 2; Highly flammable liquid and vapour. Eye Irrit. 2; H319 - Serious eye damage/eye irritation: Category 2; Causes serious eye irritation.

STOT SE 3; H336 - STOT-single exposure: Category 3; May cause drowsiness or dizziness.

2.2 Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms





Flame (GHS02) · Exclamation mark (GHS07)

Signal word

Danger

Hazard statements

H225 Highly flammable liquid and vapour.
 H319 Causes serious eye irritation.
 H336 May cause drowsiness or dizziness.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P280 Wear protective gloves/protective clothing/eye protection/face protection.

Page: 1 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : SWIN 70-102-6

plastic cleaner

Revision date: 07.09.2020 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 19.11.2021

P370+P378 In case of fire: Use foam to extinguish.

P403+P233 Store in a well-ventilated place. Keep container tightly closed.

P501 Dispose of contents/container to disposal.

2.3 Other hazards

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

SECTION 3: Composition/information on ingredients

3.1 Substances

Substance name: PROPAN-2-OL **INDEX No.:** 603-117-00-0

EC No.: 200-661-7

REACH No.: 01-2119457558-25

CAS No.: 67-63-0 **Purity**: 100 % [mass]

SECTION 4: First aid measures

4.1 Description of first aid measures

General information

In case of accident or unwellness, seek medical advice immediately (show directions for use or safety data sheet if possible). Remove affected person from the danger area and lay down. If unconscious place in recovery position and seek medical advice. Remove contaminated, saturated clothing immediately.

Following inhalation

Inhalation of vapours or spray/mists

Consult a doctor immediately in the case of inhaling spray mist and show him packing or label. Provide fresh air.

In case of skin contact

After contact with skin, wash immediately with plenty of water and soap.

After eye contact

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Do NOT induce vomiting. Call a physician immediately.

4.2 Most important symptoms and effects, both acute and delayed

Dizziness Headache Nausea Impairment of vision Vomiting

4.3 Indication of any immediate medical attention and special treatment needed

None

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media

alcohol resistant foam Extinguishing powder Carbon dioxide (CO2)

Unsuitable extinguishing media

Full water jet

5.2 Special hazards arising from the substance or mixture

In case of fire may be liberated: Pyrolysis products, toxic Carbon monoxide Carbon dioxide (CO2)

5.3 Advice for firefighters

Page: 2 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: SWIN 70-102-6 plastic cleaner

Revision date: 07.09.2020 Version (Revision): 3.0.0 (2.0.0)

Print date: 19.11.2021

Do not inhale explosion and combustion gases.

Special protective equipment for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing.

5.4 Additional information

Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water. Move undamaged containers from immediate hazard area if it can be done safely. Use water spray jet to protect personnel and to cool endangered containers.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

See protective measures under point 7 and 8.

For non-emergency personnel

Use personal protection equipment. Remove all sources of ignition. Wear breathing apparatus if exposed to vapours/dusts/aerosols.

For emergency responders

Use appropriate respiratory protection. Remove persons to safety. Prevent spread over a wide area (e.g. by containment or oil barriers).

6.2 Environmental precautions

Do not allow to enter into soil/subsoil. Do not allow to enter into surface water or drains. Retain contaminated washing water and dispose it.

6.3 Methods and material for containment and cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Collect in closed and suitable containers for disposal. Clear contaminated areas thoroughly.

Reference to other sections

Safe handling: see section 7 Disposal: see section 13

Personal protection equipment: see section 8

SECTION 7: Handling and storage







Precautions for safe handling

Use explosion-proof machinery, apparatus, ventilation facilities, tools etc. If handled uncovered, arrangements with local exhaust ventilation have to be used. If local exhaust ventilation is not possible or not sufficient, the entire working area must be ventilated by technical means. Only use the material in places where open light, fire and other flammable sources can be kept away. Wear personal protection equipment (refer to section 8). Avoid: generation/formation of aerosols

It is recommended to design all work processes always so that the following is excluded: Inhalation Skin contact Eye contact

All work processes must always be designed so that the following is excluded: Inhalation of vapours or spray/mists Skin contact Eye contact Take precautionary measures against static discharges.

Measures to prevent fire

Keep away from sources of ignition - No smoking. Usual measures for fire prevention. Vapours are heavier than air, spread along floors and form explosive mixtures with air. Keep away from sources of heat (e.g. hot surfaces), sparks and open flames. Provide earthing of containers, equipment, pumps and ventilation facilities. Use only antistatically equipped (spark-free) tools. Wear anti-static footwear and clothing Take precautionary measures against static discharges.

Measures to prevent aerosol and dust generation

Page: 3 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : SWIN 70-102-6 plastic cleaner

Revision date: 07.09.2020 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 19.11.2021

Vapours/aerosols must be exhausted directly at the point of origin. Use only in well-ventilated areas.

Environmental precautions

Shafts and sewers must be protected from entry of the product.

7.2 Conditions for safe storage, including any incompatibilities

Hints on joint storage

Storage class (TRGS 510): 3

Further information on storage conditions

Keep container tightly closed. Keep/Store only in original container.

7.3 Specific end use(s)

Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Occupational exposure limit values

PROPAN-2-OL; CAS No.: 67-63-0

Limit value type (country of origin): TRGS 900 (D)

Limit value : $200 \text{ ppm} / 500 \text{ mg/m}^3$

Peak limitation : 2(II)
Remark : Y

Version: 29.03.2019

Biological limit values

PROPAN-2-OL; CAS No.: 67-63-0

Limit value type (country of origin): TRGS 903 (D)

Parameter: Acetone / Whole blood (B) / End of exposure or end of shift

Limit value : 25 mg/l
Version : 29.03.2019
Limit value type (country of origin) : TRGS 903 (D)

Parameter : Acetone / Urine (U) / End of exposure or end of shift

Limit value : 25 mg/l Version : 29.03.2019

DNEL-/PNEC-values

DNEL/DMEL

Limit value type : DNEL worker (systemic)

Exposure route : Dermal

Limit value : 888 mg/kg bw/day
Limit value type : DNEL worker (systemic)

Exposure route : Inhalation Limit value : 500 mg/m³

PNEC

Limit value type : PNEC (Aquatic, freshwater)

Limit value : 140,9 mg/l

Limit value type : PNEC (Aquatic, marine water)

Limit value : 140,9 mg/l

Limit value type : PNEC (Sediment, freshwater)

Limit value : 552 mg/kg

Limit value type : PNEC (Sediment, marine water)

Limit value : 552 mg/kg
Limit value type : PNEC (Soil)
Limit value : 28 mg/kg

Limit value type : PNEC (Sewage treatment plant)

Limit value : 2251 mg/l

Page: 4 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : SWIN 70-102-6 plastic cleaner

Revision date: 07.09.2020 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 19.11.2021

8.2 Exposure controls







Personal protection equipment

Eye/face protection

Eye glasses with side protection

Skin protection

Hand protection

Suitable material: Butyl caoutchouc (butyl rubber)

Thickness of the glove material: 0.7 mm

Breakthrough time (maximum wearing time): 480 min

Recommended glove articles EN ISO 374

Remark: Check leak tightness/impermeability prior to use. In the case of wanting to use the gloves again, clean them before taking off and air them well. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

Body protection

Overall

Suitable protective clothing: For the protection against direct skin contact, body protective clothing is essential (in addition to the usual working clothes). Chemical resistant safety shoes Only wear fitting, comfortable and clean protective clothing.

Required properties: antistatic. flame-resistant heat-resistant

Respiratory protection

Appropriate engineering controls

If technical exhaust or ventilation measures are not possible or insufficient, respiratory protection must be worn. Respiratory protection necessary at: exceeding exposure limit values aerosol or mist formation. spray application

Suitable respiratory protection apparatus

Filtering device (full mask or mouthpiece) with filter:

Filter type: A2P2

General information

Wash hands before breaks and after work. Apply skin care products after work.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Physical state: Liquid

Odour: characteristic

Appearance Colour : colourless

Safety characteristics

Melting point/freezing point : approx. -89 °C

Initial boiling point and boiling range : approx. 82 °C

Decomposition temperature : No data available

Flash point: approx. 12 °C DIN 51755 part 1

Auto-ignition temperature : approx. 399 - 455 °C DIN 51794

Page: 5 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: SWIN 70-102-6

plastic cleaner

Revision date: 07.09.2020 Version (Revision): 3.0.0 (2.0.0)

Print date: 19.11.2021

> Lower explosion limit : Vol-% 2 Upper explosion limit: 12 Vol-% approx. Vapour pressure: (20°C) 48 hPa

approx. g/cm³ Density: (20°C) 0.79 DIN 51757

Water solubility: (20°C) miscible (20°C) not applicable pH-value:

Partition coefficient n-

No data available octanol/water: (20 °C) Viscosity: 2,43 mPa*s

Odour threshold: No data available Relative vapour density: (20°C) No data available Vapourisation rate: No data available

Maximum VOC content (EC): Wt % 1999/13/EC 100 **VOC-value:** 785 2004/42/EC g/l

Flammable solids: Not fulfilling criteria for hazard class "Flammable Solids".

Flammable gases: Not applicable.

Oxidising liquids: GHS/CLP criteria are not met. GHS/CLP criteria are not met. **Explosive properties:**

9.2 Other information

None

SECTION 10: Stability and reactivity

10.1 Reactivity

Information is given in subsection 10.3.

10.2 Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3 Possibility of hazardous reactions

In use, may form flammable/explosive vapour-air mixture.

10.4 Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials

Exothermic reaction with: Acid, Oxidising agent, strong.

10.6 Hazardous decomposition products

Does not decompose when used for intended uses.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity

Based on available data, the classification criteria are not met.

Acute oral toxicity

LD50 Parameter: Exposure route: Oral Species: Rat Effective dose: 5840 mg/kg Method: **OECD 401**

Acute dermal toxicity

Parameter: LD50 Exposure route: Dermal

Page: 6 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: SWIN 70-102-6

plastic cleaner

Revision date: 07.09.2020 Version (Revision): 3.0.0 (2.0.0)

Print date: 19.11.2021

> Rabbit Species: Effective dose: > 13400 mg/kg Method: **OECD 402**

Acute inhalation toxicity

Parameter: LC50

Inhalation (vapour) Exposure route:

Species: Rat > 20 mg/l Effective dose: Exposure time: 6 h **OECD 403** Method:

Corrosive/irritant effect on skin/eyes

Skin corrosion/irritation

Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation

Causes serious eye irritation.

Respiratory or skin sensitisation

Based on available data, the classification criteria are not met.

CMR effects (carcinogenicity, mutagenicity and toxicity for reproduction)

Carcinogenicity

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

May cause drowsiness or dizziness.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

SECTION 12: Ecological information

12.1 Toxicity

Aquatic toxicity

Based on available data, the classification criteria are not met.

Acute (short-term) fish toxicity

Parameter:

Species: Pimephales promelas (fathead minnow)

Evaluation parameter: Acute (short-term) fish toxicity

Effective dose: 9640 mg/l 96 h Exposure time: **OECD 203** Method: Parameter: LC50

Species: Daphnia magna (Big water flea) Evaluation parameter: Acute (short-term) toxicity to crustacea

Effective dose: > 10000 mg/l Exposure time: 24 h **OECD 202** Method:

Acute (short-term) toxicity to aquatic algae and cyanobacteria

Parameter:

Species: Scenedesmus subspicatus

Page: 7 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name: SWIN 70-102-6

plastic cleaner

Revision date: 07.09.2020 Version (Revision): 3.0.0 (2.0.0)

Print date: 19.11.2021

> Acute (short-term) algae toxicity Evaluation parameter:

Effective dose: > 100 mg/l Exposure time: 72 h

12.2 Persistence and degradability

Biodegradation

Parameter: DOC reduction Inoculum: Degree of elimination

Aerobic Evaluation parameter: Degradation rate: 53 % Test duration: 5 D

12.3 Bioaccumulative potential

No information available.

12.4 Mobility in soil

No information available.

12.5 Results of PBT and vPvB assessment

This substance does not meet the PBT/vPvB criteria of REACH, Annex XIII.

12.6 Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Dispose according to legislation. The allocation of waste identity numbers/waste descriptions must be carried out according to the EEC, specific to the industry and process. Contaminated packages must be completely emptied and can be re-used following proper cleaning. Packing which cannot be properly cleaned must be disposed of.

SECTION 14: Transport information

14.1 UN number

UN 1219

14.2 UN proper shipping name

Land transport (ADR/RID)

ISOPROPANOL

Sea transport (IMDG)

ISOPROPANOL

Air transport (ICAO-TI / IATA-DGR)

ISOPROPANOL

14.3 Transport hazard class(es)

Land transport (ADR/RID)

Class(es): 3 Classification code: Hazard identification number (Kemler No.): **Tunnel restriction code:** D/E LQ 1 | · E 2 Special provisions:

Hazard label(s): 3

Sea transport (IMDG)

Class(es): 3

EmS-No.: F-E / S-D **Special provisions:** LQ 11 · E 2 Hazard label(s):

Air transport (ICAO-TI / IATA-DGR)

Page: 8 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : SWIN 70-102-6 plastic cleaner

Revision date: 07.09.2020 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 19.11.2021

Class(es): 3
Special provisions: E 2
Hazard label(s): 3

14.4 Packing group

TT

14.5 Environmental hazards

Land transport (ADR/RID): No Sea transport (IMDG): No

Air transport (ICAO-TI / IATA-DGR): No

14.6 Special precautions for user

None

14.7 Transport in bulk according to Annex II of Marpol and the IBC Code

not applicable

SECTION 15: Regulatory information

Safety, health and environmental regulations/legislation specific for the substance or mixture

EU legislation

Authorisations and/or restrictions on use

Restrictions on use

Use restriction according to REACH annex XVII, no.: 3, 40

Other regulations (EU)

Restrictions of use in accordance with regulation (EC) 2019/1148 on the marketing and use of explosives precursors

None

Labelling for contents according to regulation (EC) No. 648/2004

None

National regulations

Restrictions of occupation

Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or nursing mothers. Observe restrictions to employment for juvenils according to the 'juvenile work protection guideline' (94/33/EC).

Technische Anleitung Luft (TA-Luft)

No allocation to the classes I, II and III.

Water hazard class (WGK)

Classification according to AwSV - Class: 1 (Slightly hazardous to water)

15.2 Chemical safety assessment

For this substance / mixture a chemical safety assessment has not been carried out.

SECTION 16: Other information

16.1 Indication of changes

14. Transport hazard class(es) - Land transport (ADR/RID) · 14. Transport hazard class(es) - Sea transport (IMDG) · 14. Transport hazard class(es) - Air transport (ICAO-TI / IATA-DGR)

16.2 Abbreviations and acronyms

ADR = Accord européen relatif au transport international des marchandises Dangereuses par Route

AGW = Occupational Exposure Limits

ATE = Acute Toxicity Estimates

AwSV = Ordinance on facilities for the handling of substances hazardous to water

DMEL = Derived Minimal Effect Levels

DNEL = Derived No Effect Level

Page: 9 / 10

according to Regulation (EC) No. 1907/2006 (REACH)

Trade name : SWIN 70-102-6

plastic cleaner

Revision date: 07.09.2020 **Version (Revision):** 3.0.0 (2.0.0)

Print date : 19.11.2021

ECx = effective concentration

H(8.1) = skin resorptive / risk of skin absorption

IATA = International Air Transport Association

ICAO = International Civil Aviation Organization

IMDG = International Maritime Code for Dangerous Goods

LCx/LDx/LLx = Lethal Concentration/Dose/Loading for x % of a population of test organisms MARPOL = International Convention for the Prevention of Marine Pollution from Ships

NOAEC/NOAEL = No Observed Adverse Effect Concentration/Level

NOEC/NOEL = No Observed Effect Concentration/Level

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, bioaccumulative and toxic

PNEC = Predicted No Effect Concentration

RID = Règlement concernant le transport international ferroviaire des marchandises dangereuses

RCP = reciprocal calculation procedure

S(a/h/ah) (8.1) = risk of sensitisation (of the respiratory tract/of the skin/of the respiratory tract and the skin)

SVHC = Substances of Very high Concern

STEL = Short-Time-Exposure Limit

TRGS = Technical rules for hazardous substances

TWA = Time Weighted Average

VOC = volatile organic compounds

vPvB = very persistent and very bioaccumulative

VwVwS = Administrative regulation of substances hazardous to water

WGK = water hazard class acc. ordinance on facilities for handling substances that are hazardous to water (AwSV)

Y(8.1) = No risk of fetal damage will have to be feared, if the occupational exposure limit values (AGW) and the biological limit values (BGW) are observed.

Z(8.1) =The risk of fetal damage must be feared, even if the occupational exposure limit values (AGW) and the biological limit values (BGW) are observed.

16.3 Key literature references and sources for data

None

16.4 Relevant H- and EUH-phrases (Number and full text)

H225 Highly flammable liquid and vapour. H319 Causes serious eye irritation. H336 May cause drowsiness or dizziness.

16.5 Training advice

None

16.6 Additional information

None

The above information describes exclusively the safety requirements of the product and is based on our present-day knowledge. The information is intended to give you advice about the safe handling of the product named in this safety data sheet, for storage, processing, transport and disposal. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not necessarily valid for the new made-up material.

Page: 10 / 10