

Printing date 17.05.2023

Version number 3

Revision: 17.05.2023

1 Identification of the substance/mixture and of the company/undertaking · 1.1 Product identifier CODE 1000 · Trade name: SWIN KUNSTHARZ BINDER · Article number: SW-5000-* 1.2 Relevant identified uses of the substance or mixture and uses advised against · Sector of Use SU3 Industrial uses: Uses of substances as such or in preparations at industrial sites SU22 Professional uses: Public domain (administration, education, entertainment, services, craftsmen) • Product category PC9a Coatings and paints, thinners, paint removers · Process category PROC7 Industrial spraying PROC11 Non industrial spraying • Environmental release category ERC8c Widespread use leading to inclusion into/onto article (indoor) · Application of the substance / the mixture Coating material · 1.3 Details of the supplier of the safety data sheet · Manufacturer/Supplier: SWIN Lacksysteme Boschweg 5 D-48351 Everswinkel info@swinsysteme.de • Further information obtainable from: +49 2582-67613 / +49 2582-67677 · 1.4 Emergency telephone number: Giftinformationszentrum Göttingen (GIZ-Nord) Phone: +49 (0)551-19240 2 Hazards identification · 2.1 Classification of the substance or mixture · Classification according to Regulation (EC) No 1272/2008 flame Flam. Liq. 3 H226 Flammable liquid and vapour. health hazard STOT RE 2 H373 May cause damage to the hearing organs through prolonged or repeated exposure. Skin Irrit. 2 H315 Causes skin irritation. Eve Irrit. 2 H319 Causes serious eye irritation. STOT SE 3 H335 May cause respiratory irritation. · 2.2 Label elements · Labelling according to Regulation (EC) No 1272/2008 The product is classified and labelled according to the GB CLP regulation. · Hazard pictograms GHS08 GHS02 GHS07 · Signal word Warning (Contd. on page 2) GB



Version number 3

Revision: 17.05.2023

Trade name: SWIN KUNSTHARZ BINDER

	(Contd. of page 1)
Hazard-determ	ining components of labelling:
xylene	
Hazard stateme	ents
H226 Flammab	ple liquid and vapour.
H315 Causes si	· ·
H319 Causes se	erious eye irritation.
	se respiratory irritation.
	se damage to the hearing organs through prolonged or repeated exposure.
Precautionary	
P210	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
P241	Use explosion-proof [electrical/ventilating/lighting] equipment.
P260	Do not breathe dust/fume/gas/mist/vapours/spray.
P271	Use only outdoors or in a well-ventilated area.
P303+P361+P	353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+P351+P	338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
<i>P337+P313</i>	If eye irritation persists: Get medical advice/attention.
P501	Dispose of contents/container in accordance with local/regional/national/international regulations.
Additional info	
	lic anhydride. May produce an allergic reaction.
2.3 Other haza	
	and vPvB assessment
DDT. Not annli	

- **PBT:** Not applicable.
- **vPvB:** Not applicable.

3 Composition/information on ingredients

· 3.2 Chemical characterisation: Mixtures

• Description: Mixture of substances listed below with nonhazardous additions.

· Dangerous c	components:
---------------	-------------

Dangerous components.		
CAS: 1330-20-7		
EINECS: 215-535-7 Rog pr.: 01-2110488216-32 YYYY	♦ Flam. Liq. 3, H226; ♦ STOT RE 2, H373; Asp. Tox. 1, H304; ♦ Acute Tox. 4, H312; Acute Tox. 4, H332; Skin Irrit.	
Reg.m.: 01-2119400210-52-77777	2, H315; Eye Irrit. 2, H319; STOT SE 3, H335	
CAS: 100-41-4	ethylbenzene	2.5-10%
EINECS: 202-849-4 Reg.nr.: 01-2119892111-44-XXXX	♦ Flam. Liq. 2, H225; ♦ STOT RE 2, H373; Asp. Tox. 1, H304: ↑ Acute Tox. 4, H332	
 CAS: 85-44-9	phthalic anhydride	<i>≤</i> 2.5%
EINECS: 201-607-5	& Resp Sens 1, H334: 😔 Eve Dam 1, H318: 🕦 Acute Tox	
Reg.nr.: 01-2119457017-41-XXXX	4, H302; Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3,	
	H335	
· Additional information · For the we	ording of the listed hazard phrases refer to section 16	

• *Additional information:* For the wording of the listed hazard phrases refer to section 16.

4 First aid measures

- 4.1 Description of first aid measures
- · General information: Personal protection for the First Aider.
- After inhalation:
- Supply fresh air.
- Seek medical treatment in case of complaints.
- After skin contact:

Immediately wash with water and soap and rinse thoroughly.

(Contd. on page 3)



Version number 3

Revision: 17.05.2023

Trade name: SWIN KUNSTHARZ BINDER

If skin irritation continues, consult a doctor.

• After eye contact:

Rinse opened eye for several minutes under running water. If symptoms persist, consult a doctor.

- After swallowing: Do not induce vomiting; call for medical help immediately.
- 4.2 Most important symptoms and effects, both acute and delayed No further relevant information available.
- +4.3 Indication of any immediate medical attention and special treatment needed
- No further relevant information available.

5 Firefighting measures

- 5.1 Extinguishing media
- · Suitable extinguishing agents:
- CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant foam.
- · For safety reasons unsuitable extinguishing agents: Water with full jet
- 5.2 Special hazards arising from the substance or mixture No further relevant information available.
- 5.3 Advice for firefighters
- · Protective equipment: Mouth respiratory protective device.

6 Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Wear protective equipment. Keep unprotected persons away. Ensure adequate ventilation
- 6.2 Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- 6.3 Methods and material for containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).
- Dispose contaminated material as waste according to section 13.
- 6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

7 Handling and storage

- 7.1 Precautions for safe handling Ensure good ventilation/exhaustion at the workplace. Restrict the quantity stored at the work place.
- Information about fire and explosion protection: Fumes can combine with air to form an explosive mixture. Flammable gas-air mixtures may form in empty receptacles. Keep ignition sources away - Do not smoke. Use explosion-proof apparatus / fittings and spark-proof tools. Protect against electrostatic charges.
- · 7.2 Conditions for safe storage, including any incompatibilities
- · Storage:
- *Requirements to be met by storerooms and receptacles: Provide solvent resistant, sealed floor. Suitable material for receptacles and pipes: steel or stainless steel.*
- Information about storage in one common storage facility: Not required.
- Further information about storage conditions: Keep container tightly sealed.
- 7.3 Specific end use(s) No further relevant information available.

(Contd. on page 4)

(Contd. of page 2)



Version number 3

Revision: 17.05.2023

Trade name: SWIN KUNSTHARZ BINDER

(Contd. of page 3)

8 Exposure controls/personal protection

- · 8.1 Control parameters
- Additional information about design of technical facilities: No further data; see section 7.
- · Ingredients with limit values that require monitoring at the workplace:

100-41-4 ethylbenzene

WEL Short-term value: 552 mg/m³, 125 ppm Long-term value: 441 mg/m³, 100 ppm Sk

• Additional information: The lists valid during the making were used as basis.

- · 8.2 Exposure controls
- · Personal protective equipment:
- General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed. Immediately remove all soiled and contaminated clothing Wash hands before breaks and at the end of work. Do not inhale gases / fumes / aerosols. Avoid contact with the eyes and skin.

· Respiratory protection:

Use suitable respiratory protective device in case of insufficient ventilation. In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use self-contained respiratory protective device.

Filter A2/P2 • **Protection of hands:**

Only use chemical-protective gloves with CE-labelling of category III.



Protective gloves

Preventive skin protection by use of skin-protecting agents is recommended.

• Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be exactly calculated in advance and has therefore to be checked prior to the application.

As protection from splashes gloves made of the following materials are suitable:

Nitrile rubber (Ansell Sol-Vex®)

Recommended thickness of the material: $\geq 0.4 \text{ mm}$

- · Penetration time of glove material
- *Value for the permeation: Level* ≤ 1

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

- For the permanent contact => 480 minutes gloves made of the following materials are suitable:
- HPPE-laminatet film (Ansell Barrier®)
- Eye protection:



Tightly sealed goggles

• **Body protection:** Protective clothing, anti-static (TYVEK® CLASSIC PLUS) Safety shoes/boots, antstatic

(Contd. on page 5)



Version number 3

Revision: 17.05.2023

Trade name: SWIN KUNSTHARZ BINDER

(Contd. of page 4)

9.1 Information on basic physical and chemical properties		
General Information		
Appearance: Form:	Fluid	
Colour:	Colourless	
Odour:	Aromatic	
Odour threshold:	Not determined.	
pH-value	Not applicable.	
Change in condition		
Melting point/freezing point:	Undetermined.	
Initial boiling point and boiling range:	124 °C	
Flash point:	23 - 60 °C	
Flammability (solid, gas):	Flammable.	
Auto-ignition temperature:	430 °C	
Decomposition temperature:	Not determined.	
Ignition temperature:	Product is not selfigniting.	
Explosive properties:	Product is not explosive. However, formation of explosive air vapour mixtures are possible.	
Explosion limits:		
Lower:	1.1 Vol %	
Upper:	7 Vol %	
Vapour pressure at 20 °C:	6.7 hPa	
Vapour pressure:		
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
water:	Not miscible or difficult to mix.	
Partition coefficient: n-octanol/water:	Not determined.	
Viscosity:	DIN 53211 (6 mm) - 48 sec	
Dynamic:	Not determined.	
Kinematic at 20 °C:	100 s (ISO 6 mm)	
9.2 Other information	No further relevant information available.	

10 Stability and reactivity

• 10.1 Reactivity No further relevant information available.

· 10.2 Chemical stability

• Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

• 10.3 Possibility of hazardous reactions No dangerous reactions known.

• 10.4 Conditions to avoid No further relevant information available.

• 10.5 Incompatible materials: No further relevant information available.

· 10.6 Hazardous decomposition products: No dangerous decomposition products known.

(Contd. on page 6)

GB



Version number 3

Revision: 17.05.2023

Trade name: SWIN KUNSTHARZ BINDER

(Contd. of page 5)

	Based on available data, the classification criteria are not met.
	es relevant for classification:
1330-20-7 xy	
	4,300 mg/kg (rat)
	2,000 mg/kg (rabbit)
Primary irrita	
Skin corrosio	
Causes skin ir	
	image/irritation
	s eye irritation.
	r skin sensitisation Based on available data, the classification criteria are not met. Ricological information:
	carcinogecut information. carcinogenity, mutagenicity and toxicity for reproduction)
	tagenicity Based on available data, the classification criteria are not met.
	ty Based on available data, the classification criteria are not met.
	toxicity Based on available data, the classification criteria are not met.
STOT-single	exposure
	piratory irritation.
STOT-repeat	
	nage to the hearing organs through prolonged or repeated exposure.
Aspiration ha	zard Based on available data, the classification criteria are not met.
Ecological	information
12.1 Toxicity	
	ty: No further relevant information available.
	ce and degradability No further relevant information available.
12.2 Persisten	
12.2 Persisten 12.3 Bioaccui	nulative potential No further relevant information available.
12.2 Persister 12.3 Bioaccur 12.4 Mobility	nulative potential No further relevant information available. in soil No further relevant information available.
12.2 Persisten 12.3 Bioaccur 12.4 Mobility Additional ec	nulative potential No further relevant information available. in soil No further relevant information available. Sological information:
12.2 Persister 12.3 Bioaccur 12.4 Mobility 4dditional ec General notes	nulative potential No further relevant information available. in soil No further relevant information available. ological information: :
12.2 Persisten 12.3 Bioaccur 12.4 Mobility Additional ec General notes Water hazard	nulative potential No further relevant information available. in soil No further relevant information available. ological information: : class 2 (German Regulation) (Self-assessment): hazardous for water
12.2 Persisten 12.3 Bioaccus 12.4 Mobility Additional ec General notes Water hazard Do not allow	nulative potential No further relevant information available. in soil No further relevant information available. ological information: : class 2 (German Regulation) (Self-assessment): hazardous for water product to reach ground water, water course or sewage system.
12.2 Persisten 12.3 Bioaccur 12.4 Mobility Additional ec General notes Water hazard Do not allow 12.5 Results o	nulative potential No further relevant information available. in soil No further relevant information available. blogical information: : class 2 (German Regulation) (Self-assessment): hazardous for water product to reach ground water, water course or sewage system. f PBT and vPvB assessment
12.2 Persisten 12.3 Bioaccur 12.4 Mobility Additional ec General notes Water hazard Do not allow 12.5 Results of PBT: Not app	nulative potential No further relevant information available. in soil No further relevant information available. ological information: : class 2 (German Regulation) (Self-assessment): hazardous for water product to reach ground water, water course or sewage system. f PBT and vPvB assessment licable.
12.2 Persisten 12.3 Bioaccur 12.4 Mobility Additional ecc General notes Water hazard Do not allow 12.5 Results of PBT: Not app vPvB: Not ap	nulative potential No further relevant information available. in soil No further relevant information available. ological information: : class 2 (German Regulation) (Self-assessment): hazardous for water product to reach ground water, water course or sewage system. f PBT and vPvB assessment licable.
12.2 Persisten 12.3 Bioaccur 12.4 Mobility Additional ec General notes Water hazard Do not allow 12.5 Results of PBT: Not app vPvB: Not app	nulative potential No further relevant information available. in soil No further relevant information available. blogical information: : class 2 (German Regulation) (Self-assessment): hazardous for water broduct to reach ground water, water course or sewage system. f PBT and vPvB assessment licable. blicable.
2.2 Persisten 2.3 Bioaccur 2.4 Mobility Additional ec General notes Water hazard Do not allow 2.5 Results of PBT: Not app PVB: Not ap 2.6 Other ad	nulative potential No further relevant information available. in soil No further relevant information available. blogical information: : class 2 (German Regulation) (Self-assessment): hazardous for water broduct to reach ground water, water course or sewage system. f PBT and vPvB assessment licable. blicable.

· Uncleaned packaging:

15 00 00: WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED

15 01 00: packaging (including separately collected municipal packaging waste)

15 01 10*: packaging containing residues of or contaminated by dangerous substances

(Contd. on page 7)

GB -



Version number 3

Revision: 17.05.2023

Trade name: SWIN KUNSTHARZ BINDER

(Contd. of page 6)

· Recommendation: Disposal	must be made according	to official regulations.

4 Transport information	
4 Transport information	
· 14.1 UN-Number · ADR, ADN, IMDG · IATA	not regulated UN1263
· 14.2 UN proper shipping name · ADR, ADN, IMDG · IATA	not regulated PAINT
· 14.3 Transport hazard class(es)	
· ADR, ADN, IMDG · Class	not regulated
·IATA	
· Class · Label	3 Flammable liquids. 3
· 14.4 Packing group · ADR, IMDG · IATA	not regulated III
 14.5 Environmental hazards: Marine pollutant: 	No
· 14.6 Special precautions for user	Not applicable.
• 14.7 Transport in bulk according to Anno Marpol and the IBC Code	ex II of Not applicable.
· Transport/Additional information:	
· ADR · Remarks:	No dangerous goods in containers of 450 litres ma capacity acc. to ADR 2.2.3.1.5.1
· IMDG · Remarks:	No dangerous goods in containers of 30 litres ma capacitiy acc. to IMDG 2.2.3.1.5
· UN "Model Regulation":	not regulated

15 Regulatory information

· 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

· Directive 2012/18/EU

- · Named dangerous substances ANNEX I None of the ingredients is listed.
- · Seveso category P5c FLAMMABLE LIQUIDS
- Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t
- Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t

· National regulations:

• *Information about limitation of use: Employment restrictions concerning pregnant and lactating women must be observed.*

(Contd. on page 8)

GB



Version number 3

Revision: 17.05.2023

Trade name: SWIN KUNSTHARZ BINDER

(Contd. of page 7)

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

· Relevant phrases

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H302 Harmful if swallowed.

H304 May be fatal if swallowed and enters airways.

H312 Harmful in contact with skin.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H318 Causes serious eye damage.

H319 Causes serious eye irritation.

H332 Harmful if inhaled.

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 May cause respiratory irritation.

H373 May cause damage to organs through prolonged or repeated exposure.

· Department issuing SDS: -

· Contact: -

· Abbreviations and acronyms:

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road) IMDG: International Maritime Code for Dangerous Goods IATA: International Air Transport Association GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances ELINCS: European List of Notified Chemical Substances CAS: Chemical Abstracts Service (division of the American Chemical Society) LC50: Lethal concentration, 50 percent LD50: Lethal dose, 50 percent PBT: Persistent, Bioaccumulative and Toxic vPvB: very Persistent and very Bioaccumulative Flam. Liq. 2: Flammable liquids – Category 2 Flam. Liq. 3: Flammable liquids – Category 3 Acute Tox. 4: Acute toxicity - Category 4 Skin Irrit. 2: Skin corrosion/irritation - Category 2 Eye Dam. 1: Serious eye damage/eye irritation - Category 1 Eye Irrit. 2: Serious eye damage/eye irritation – Category 2 Resp. Sens. 1: Respiratory sensitisation – Category 1 Skin Sens. 1: Skin sensitisation - Category 1 STOT SE 3: Specific target organ toxicity (single exposure) - Category 3 STOT RE 2: Specific target organ toxicity (repeated exposure) - Category 2 Asp. Tox. 1: Aspiration hazard – Category 1

GB